TEMPO AEROSPACE INC.

AIRCRAFT AND AUTOMOTIVE FINISHES

ISO 9001:2000 REGISTERED

205 FENMAR DRIVE • TORONTO, ONTARIO CANADA M9L 2X4
TEL (416) 746-2233 • FAX (416) 746-2235 • E-mail sales@tempo-aerospace.com

Topcoats

Approval/Specification Authority and Number		Details	Urethanes															Enamels												
			2700 LINE	2800-B-1	3400 LINE	325 LINE	4600/7600 LINE	4700/7700 LINE	4800/7800 LINE	6600 LINE	6700 LINE	6800 LINE	8700 LINE	9600 LINE	9700 LINE	9800 LINE		1200 LINE	1700 LINE	1800 LINE	1900 LINE	2200 LINE	250 LINE	500 LINE	5000 LINE	900 LINE		Lacquer LA LINE	Lacquer L LINE	Varnish V-173
Boeing Approvals																														
BMS 10-11, Type 1	Q	Epoxy Primer Green (BAC 452)																												
BMS 10-11, Type 1	Q	Epoxy Primer Reducer																												
BMS 10-21, Type 1	C	Epoxy Black Conductive Primer																		■										
BMS 10-72U, Type VIII	C	NoVOCure 2000 Yellow Waterborne Epoxy Primer																												
de Havilland Approvals (Bombardier)																														
DHMS C4.01, Type 2	Q	Epoxy Primer (chromated) Green																												
DHMS C4.01, Type 3	Q	Epoxy Primer (non-chromated) White																												
DHMS C4.01 (Thinners)	Q	Epoxy Primer Reducer																												
DHMS C4.04, Type 2	Q	Urethane Gloss Topcoat					■																							
DHMS C4.04, Type 2	Q	Urethane Flat Topcoat						■																						
DHMS C4.04, Type 2	Q	Urethane Semi-Gloss Topcoat							■																					
DHMS C4.04, Type 3	Q	Urethane Semi-Gloss (textured) Topcoat				■			■																					
DHMS C4.04, Type 4	Q	Urethane Gloss Topcoat								■																				
DHMS C4.04, Type 4	Q	Urethane Flat Topcoat									■																			
DHMS C4.04, Type 4	Q	Urethane Semi-Gloss Topcoat										■																		
DHMS C4.05	Q	Urethane Topcoat			■																									
DHMS C4.07, Type 1	Q	Bake Enamel																				■								
DHMS C4.11	Q	Epoxy Enamel Flat Topcoat																	■											
DHMS C4.11	Q	Epoxy Enamel Semi-Gloss Topcoat																		■										
DHMS C4.11	Q	Epoxy Enamel Gloss Topcoat																			■									
DHMS C4.13, Type 1	Q	Urethane Black Conductive Coating		■																										
DHMS C4.18, Type III	Q	Epoxy Primer Intermediate																												
Canadair Approvals (Bombardier)																														
CMS 565-01	Q	Epoxy Primer (chromated) Green																												
CMS 565-01	Q	Epoxy Primer (chromated) Yellow																												
CMS 565-01	Q	Epoxy Primer (non-chromated) White																												
CMS 565-01	Q	Epoxy Primer (non-chromated) Grey																												
CMS 565-01	Q	Epoxy Primer Reducer																												
CMS 565-02	Q	Urethane Gloss Topcoat					■																							
CMS 565-02	Q	Urethane Flat Topcoat						■																						
CMS 565-02	Q	Urethane Semi-Gloss Topcoat							■																					

Primer

Approval/Specification Authority and Number	Details	D-80	D-90-G	D-90-Y	1900-ZN-1	4500-P-022-B	4500-P-15Y-F	4500-P-15G-F	4500-P-23-B	4500-P-23-G	4500 P-23-Y	4500-P-30-D	4500-P-40	4500-P-40-B	P-81AD/P-105	P-81-B	4500-P-215Y	14-3003	4500-P-60-X
Boeing Approvals																			
BMS 10-11, Type 1	Epoxy Primer Green (BAC 452)											■							
BMS 10-11, Type 1	Epoxy Primer Reducer																		
BMS 10-21, Type 1	Epoxy Black Conductive Primer																		
BMS 10-72U, Type VIII	NoVOCure 2000 Yellow Waterborne Epoxy Primer																	■	
de Havilland Approvals (Bombardier)																			
DHMS C4.01, Type 2	Epoxy Primer (chromated) Green								■										
DHMS C4.01, Type 3	Epoxy Primer (non-chromated) White												■						
DHMS C4.01 (Thinners)	Epoxy Primer Reducer																		
DHMS C4.04, Type 2	Urethane Gloss Topcoat								S				S						S
DHMS C4.04, Type 2	Urethane Flat Topcoat								S				S						S
DHMS C4.04, Type 2	Urethane Semi-Gloss Topcoat								S				S						S
DHMS C4.04, Type 3	Urethane Semi-Gloss (textured) Topcoat								S				S						S
DHMS C4.04, Type 4	Urethane Gloss Topcoat								S				S						S
DHMS C4.04, Type 4	Urethane Flat Topcoat								S				S						S
DHMS C4.04, Type 4	Urethane Semi-Gloss Topcoat								S				S						S
DHMS C4.05	Urethane Topcoat								S				S						S
DHMS C4.07, Type 1	Bake Enamel																		
DHMS C4.11	Epoxy Enamel Flat Topcoat								S				S						
DHMS C4.11	Epoxy Enamel Semi-Gloss Topcoat								S				S						
DHMS C4.11	Epoxy Enamel Gloss Topcoat								S				S						
DHMS C4.13, Type 1	Urethane Black Conductive Coating								S				S						
DHMS C4.18, Type III	Epoxy Primer Intermediate																		■
Canadair Approvals (Bombardier)																			
CMS 565-01	Epoxy Primer (chromated) Green									■									
CMS 565-01	Epoxy Primer (chromated) Yellow										■								
CMS 565-01	Epoxy Primer (non-chromated) White												■						
CMS 565-01	Epoxy Primer (non-chromated) Grey													■					
CMS 565-01	Epoxy Primer Reducer																		
CMS 565-02	Urethane Gloss Topcoat									S	S		S	S					
CMS 565-02	Urethane Flat Topcoat									S	S		S	S					
CMS 565-02	Urethane Semi-Gloss Topcoat									S	S		S	S					

Reducing Thinners

Approval/Specification Authority and Number	Details	Toluol/Xylol/SHF	S-95	S-77A	4600-S-72	S-70	4500-S-30D	4500-S-23/S-23X	4500-S-81	S-64	S-15D	S-14	S-17	S-1
Boeing Approvals														
BMS 10-11, Type 1	Epoxy Primer Green (BAC 452)						S							
BMS 10-11, Type 1	Epoxy Primer Reducer						■							
BMS 10-21, Type 1	Epoxy Black Conductive Primer						S							
BMS 10-72U, Type VIII	NoVOCure 2000 Yellow Waterborne Epoxy Primer													
de Havilland Approvals (Bombardier)														
DHMS C4.01, Type 2	Epoxy Primer (chromated) Green							S						
DHMS C4.01, Type 3	Epoxy Primer (non-chromated) White							S						
DHMS C4.01 (Thinners)	Epoxy Primer Reducer							■						
DHMS C4.04, Type 2	Urethane Gloss Topcoat													S
DHMS C4.04, Type 2	Urethane Flat Topcoat													S
DHMS C4.04, Type 2	Urethane Semi-Gloss Topcoat													S
DHMS C4.04, Type 3	Urethane Semi-Gloss (textured) Topcoat													S
DHMS C4.04, Type 4	Urethane Gloss Topcoat													S
DHMS C4.04, Type 4	Urethane Flat Topcoat													S
DHMS C4.04, Type 4	Urethane Semi-Gloss Topcoat													S
DHMS C4.05	Urethane Topcoat													S
DHMS C4.07, Type 1	Bake Enamel	S												
DHMS C4.11	Epoxy Enamel Flat Topcoat							S						
DHMS C4.11	Epoxy Enamel Semi-Gloss Topcoat							S						
DHMS C4.11	Epoxy Enamel Gloss Topcoat							S						
DHMS C4.13, Type 1	Urethane Black Conductive Coating													S
DHMS C4.18, Type III	Epoxy Primer Intermediate							S						
Canadair Approvals (Bombardier)														
CMS 565-01	Epoxy Primer (chromated) Green							S						
CMS 565-01	Epoxy Primer (chromated) Yellow							S						
CMS 565-01	Epoxy Primer (non-chromated) White							S						
CMS 565-01	Epoxy Primer (non-chromated) Grey							S						
CMS 565-01	Epoxy Primer Reducer							■						
CMS 565-02	Urethane Gloss Topcoat													S
CMS 565-02	Urethane Flat Topcoat													S
CMS 565-02	Urethane Semi-Gloss Topcoat													S

LEGEND
Q – QPL Listed
C – Conforms to specification
S – System (Specified or Recommended
■ - Cross Reference (Specification to Product Code)

Revised November 23rd, 2004

TEMPO AEROSPACE INC.

AIRCRAFT AND AUTOMOTIVE FINISHES

ISO 9001:2000 REGISTERED

205 FENMAR DRIVE • TORONTO, ONTARIO CANADA M9L 2X4
TEL (416) 746-2233 • FAX (416) 746-2235 • E-mail sales@tempo-aerospace.com

US Military Specifications

Topcoats

Approval/Specification Authority and Number		Details	Urethanes															Enamels												
			2700 LINE	2800-B-1	3400 LINE	325 LINE	4600/7600 LINE	4700/7700 LINE	4800/7800 LINE	6600 LINE	6700 LINE	6800 LINE	8700 LINE	9600 LINE	9700 LINE	9800 LINE		1200 LINE	1700 LINE	1800 LINE	1900 LINE	2200 LINE	250 LINE	500 LINE	5000 LINE	900 LINE		Lacquer LA LINE	Lacquer L LINE	Varnish V-173
MIL-C-22750D, Type 1	C	Epoxy Enamel Flat																	■											
MIL-C-22750D, Type 1	C	Epoxy Enamel Semi-Gloss																		■										
MIL-C-22750D, Type 1	C	Epoxy Enamel Gloss																			■									
MIL-C-46168D, Type II	C	Urethane Low IRR CARC											■																	
MIL-C-83286	C	Urethane Gloss Topcoat					■																							
MIL-C-83286	C	Urethane Flat Topcoat						■																						
MIL-C-83286	C	Urethane Semi-Gloss Topcoat							■																					
MIL-E-15090, Type II	C	Enamel Air Dry Semi-Gloss Grey																						■						
MIL-E-15090, Type III	C	Bake Enamel																				■								
MIL-L-19537	C	Lacquer (Acrylic) Gloss																										■		
MIL-L-19538	C	Lacquer (Acrylic) Flat																										■		
MIL-L-52043C	C	Lacquer (NC) Semi Gloss																											■	
MIL-P-23377-F, Type I	C	Epoxy Primer (chromated) Yellow																												
MIL-P-23377-F, Type II	C	Epoxy Primer (chromated) Green																												
MIL-P-53022B, Type I	C	Epoxy Primer (no chromate/lead) White																												
MIL-P-7962	C	Alkyd Zinc Chromate Primer Yellow																												
MIL-PRF-85285D NEW	C	High Solids Polyurethane (Gloss)Topcoat												■																
MIL-PRF-85285D NEW	C	High Solids Polyurethane (Semi Gloss)Topcoat													■															
MIL-PRF-85285D NEW	C	High Solids Polyurethane (Flat)Topcoat														■														
MIL-T-81772, Type I	C	Urethane Thinners																												
MIL-T-81772, Type II	C	Epoxy Primer Thinners																												
MIL-T-81772, Type III	C	Zinc Chromate Primer Thinners																												
MIL-PRF-23377H Type I, Class C	C	Epoxy Primer- Yellow																												
TT-E-527, Type I	C	Enamel Flat																							■					
TT-E-527, Type II	C	Bake Enamel																				■								
TT-E-529, Type II	C	Bake Enamel																				■								
TT-E-529, Type I	C	Enamel Semi Gloss																							■					
TT-L-20A	C	Lacquer (NC) Flat																											■	
TT-L-32A	C	Lacquer (NC) Gloss																											■	
TT-N-95, Type II	C	Naptha																												
TT-P-1757A, Type I	C	Zinc Chromate Primer Green																												
TT-P-1757A, Type I	C	Zinc Chromate Primer Yellow																												
TT-P-636	C	Enamel Primer Red Oxide																												
TT-T-266D	C	Lacquer Thinners																												

Primer

Approval/Specification Authority and Number	Details	D-80	D-90-G	D-90-Y	1900-ZN-1	4500-P-022-B	4500-P-15Y-F	4500-P-15G-F	4500-P-23-B	4500-P-23-G	4500 P-23-Y	4500-P-30-D	4500-P-40	4500-P-40-B	P-81AD/P-105	P-81-B	4500-P-215Y	14-3003	4500-P-60-X
MIL-C-22750D, Type 1	Epoxy Enamel Flat					s	s	s											
MIL-C-22750D, Type 1	Epoxy Enamel Semi-Gloss					s	s	s											
MIL-C-22750D, Type 1	Epoxy Enamel Gloss					s	s	s											
MIL-C-46168D, Type II	Urethane Low IRR CARC					s		s											
MIL-C-83286	Urethane Gloss Topcoat					s	s	s											
MIL-C-83286	Urethane Flat Topcoat					s	s	s											
MIL-C-83286	Urethane Semi-Gloss Topcoat					s	s	s											
MIL-E-15090, Type II	Enamel Air Dry Semi-Gloss Grey					s	s	s											
MIL-E-15090, Type III	Bake Enamel																		
MIL-L-19537	Lacquer (Acrylic) Gloss	s																	
MIL-L-19538	Lacquer (Acrylic) Flat	s																	
MIL-L-52043C	Lacquer (NC) Semi Gloss	s																	
MIL-P-23377-F, Type I	Epoxy Primer (chromated) Yellow						■												
MIL-P-23377-F, Type II	Epoxy Primer (chromated) Green							■											
MIL-P-53022B, Type I	Epoxy Primer (no chromate/lead) White					■													
MIL-P-7962	Alkyd Zinc Chromate Primer Yellow																		
MIL-PRF-85285D NEW	High Solids Polyurethane (Gloss)Topcoat																		
MIL-PRF-85285D NEW	High Solids Polyurethane (Semi Gloss)Topcoat																		
MIL-PRF-85285D NEW	High Solids Polyurethane (Flat)Topcoat																		
MIL-T-81772, Type I	Urethane Thinners																		
MIL-T-81772, Type II	Epoxy Primer Thinners																		
MIL-T-81772, Type III	Zinc Chromate Primer Thinners																		
MIL-PRF-23377H Type I, Class C	Epoxy Primer- Yellow																■		
TT-E-527, Type I	Enamel Flat																		
TT-E-527, Type II	Bake Enamel																		
TT-E-529, Type II	Bake Enamel																		
TT-E-529, Type I	Enamel Semi Gloss																		
TT-L-20A	Lacquer (NC) Flat																		
TT-L-32A	Lacquer (NC) Gloss																		
TT-N-95, Type II	Naptha																		
TT-P-1757A, Type I	Zinc Chromate Primer Green		■																
TT-P-1757A, Type I	Zinc Chromate Primer Yellow			■															
TT-P-636	Enamel Primer Red Oxide														■				
TT-T-266D	Lacquer Thinners																		

Reducing Thinners

Approval/Specification Authority and Number	Details	Toluol/Xylol/SHF	S-95	S-77A	4600-S-72	S-70	4500-S-30D	4500-S-23/S-23X	4500-S-81	S-64	S-15D	S-14	S-17	S-1
MIL-C-22750D, Type 1	Epoxy Enamel Flat								s					
MIL-C-22750D, Type 1	Epoxy Enamel Semi-Gloss								s					
MIL-C-22750D, Type 1	Epoxy Enamel Gloss								s					
MIL-C-46168D, Type II	Urethane Low IRR CARC				s									
MIL-C-83286	Urethane Gloss Topcoat				s									
MIL-C-83286	Urethane Flat Topcoat				s									
MIL-C-83286	Urethane Semi-Gloss Topcoat				s									
MIL-E-15090, Type II	Enamel Air Dry Semi-Gloss Grey	s												
MIL-E-15090, Type III	Bake Enamel	s												
MIL-L-19537	Lacquer (Acrylic) Gloss										s			
MIL-L-19538	Lacquer (Acrylic) Flat										s			
MIL-L-52043C	Lacquer (NC) Semi Gloss										s			
MIL-P-23377-F, Type I	Epoxy Primer (chromated) Yellow								s					
MIL-P-23377-F, Type II	Epoxy Primer (chromated) Green								s					
MIL-P-53022B, Type I	Epoxy Primer (no chromate/lead) White								s					
MIL-P-7962	Alkyd Zinc Chromate Primer Yellow								s					
MIL-PRF-85285D NEW	High Solids Polyurethane (Gloss)Topcoat													
MIL-PRF-85285D NEW	High Solids Polyurethane (Semi Gloss)Topcoat													
MIL-PRF-85285D NEW	High Solids Polyurethane (Flat)Topcoat													
MIL-T-81772, Type I	Urethane Thinners				■									
MIL-T-81772, Type II	Epoxy Primer Thinners								■					
MIL-T-81772, Type III	Zinc Chromate Primer Thinners												■	
MIL-PRF-23377H Type I, Class C	Epoxy Primer- Yellow												■	
TT-E-527, Type I	Enamel Flat													
TT-E-527, Type II	Bake Enamel													
TT-E-529, Type II	Bake Enamel													
TT-E-529, Type I	Enamel Semi Gloss													
TT-L-20A	Lacquer (NC) Flat										s			
TT-L-32A	Lacquer (NC) Gloss										s			
TT-N-95, Type II	Naptha		■											
TT-P-1757A, Type I	Zinc Chromate Primer Green												s	
TT-P-1757A, Type I	Zinc Chromate Primer Yellow												s	
TT-P-636	Enamel Primer Red Oxide	s												
TT-T-266D	Lacquer Thinners										■			

LEGEND
Q – QPL Listed
C – Conforms to specification
S – System (Specified or Recommended
■ - Cross Reference (Specification to Product Code)

TEMPO AEROSPACE INC.

AIRCRAFT AND AUTOMOTIVE FINISHES

ISO 9001:2000 REGISTERED

205 FENMAR DRIVE • TORONTO, ONTARIO CANADA M9L 2X4
TEL (416) 746-2233 • FAX (416) 746-2235 • E-mail sales@tempo-aerospace.com

Topcoats

Approval/Specification Authority and Number		Details	2700 LINE	2800-B-1	3400 LINE	325 LINE	4600/7600 LINE	4700/7700 LINE	4800/7800 LINE	6600 LINE	6700 LINE	6800 LINE	8700 LINE	9600 LINE	9700 LINE	9800 LINE		1200 LINE	1700 LINE	1800 LINE	1900 LINE	2200 LINE	250 LINE	500 LINE	5000 LINE	900 LINE		Lacquer LA LINE	Lacquer L LINE	Varnish V-173
							Urethanes														Enamels									
Department for National Defence (D-12-003-001/SF-000)																														
D-12-003-001/SF-000	Q	Urethane Flat (Teflon Filled)	■																											
MIL-C-46168D, Type II	Q	Urethane Low IRR CARC											■																	
D-12-003-001/SF-000	Q	Urethane Gloss Topcoat					■																							
D-12-003-001/SF-000	Q	Urethane Flat Topcoat						■																						
D-12-003-001/SF-000	Q	Urethane Semi-Gloss Topcoat							■																					
MIL-P-23377-F, Type I	Q	Epoxy Primer (chromated) Yellow																												
MIL-P-23377-F, Type II	Q	Epoxy Primer (chromated) Green																												
D-12-003-001/SF-001 NEW	C	High Solids Polyurethane (Gloss)Topcoat												■																
D-12-003-001/SF-001 NEW	C	High Solids Polyurethane (Flat)Topcoat													■															
D-12-003-001/SF-001 NEW	C	High Solids Polyurethane (Semi Gloss)Topcoat														■														
MIL-T-81772, Type I	Q	Urethane Thinners																												
MIL-T-81772, Type II	Q	Epoxy Primer Thinners																												
D-84-010-001/SF-001	Q	Enamel Low IRR																							■					
Government of Canada Specifications																														
1-GP-70M	C	Thinners																												
1-GP-76	C	Alkyd Enamel Heat Resistant															■													
1-GP-81, Type I	C	Red Oxide Enamel Primer Air Dry																												
1-GP-81, Type II	C	Red Oxide Enamel Primer Bake																												
1-GP-88	C	Enamel Gloss																						■						
1-GP-88, Type II	C	Bake Enamel																			■									
1-GP-104	C	Green Enamel Semi-Gloss																				■								
1-GP-105M	C	Enamel Primer Red Oxide																												
1-GP-110M	C	Lacquer Thinners																												
1-GP-132	C	Zinc Chromate Primer Green																												
1-GP-132	C	Zinc Chromate Primer Yellow																												
1-GP-134M	C	Lacquer (NC)																										■		
1-GP-135	C	Enamel Flat																						■						
1-GP-159M	C	Lacquer (Acrylic) Gloss																									■			
1-GP-160M	C	Lacquer (Acrylic) Flat																									■			
1-GP-164	C	Solvent Mix																												
1-GP-197M	C	Acrylic Lacquer/Epoxy Thinner																												

Primer

Approval/Specification Authority and Number		Details	D-80	D-90-G	D-90-Y	1900-ZN-1	4500-P-022-B	4500-P-15Y-F	4500-P-15G-F	4500-P-23-B	4500-P-23-G	4500 P-23-Y	4500-P-30-D	4500-P-40	4500-P-40-B	P-81AD/P-105	P-81-B	4500-P-215Y	14-3003	4500-P-60-X
Department for National Defence (D-12-003-001/SF-000)																				
D-12-003-001/SF-000	Q	Urethane Flat (Teflon Filled)						s	s											
MIL-C-46168D, Type II	Q	Urethane Low IRR CARC					s		s											
D-12-003-001/SF-000	Q	Urethane Gloss Topcoat						s	s											
D-12-003-001/SF-000	Q	Urethane Flat Topcoat						s	s											
D-12-003-001/SF-000	Q	Urethane Semi-Gloss Topcoat						s	s											
MIL-P-23377-F, Type I	Q	Epoxy Primer (chromated) Yellow						■												
MIL-P-23377-F, Type II	Q	Epoxy Primer (chromated) Green							■											
D-12-003-001/SF-001 NEW	C	High Solids Polyurethane (Gloss)Topcoat																		
D-12-003-001/SF-001 NEW	C	High Solids Polyurethane (Flat)Topcoat																		
D-12-003-001/SF-001 NEW	C	High Solids Polyurethane (Semi Gloss)Topcoat																		
MIL-T-81772, Type I	Q	Urethane Thinners																		
MIL-T-81772, Type II	Q	Epoxy Primer Thinners																		
D-84-010-001/SF-001	Q	Enamel Low IRR						s	s							s				
Government of Canada Specifications																				
1-GP-70M	C	Thinners																		
1-GP-76	C	Alkyd Enamel Heat Resistant																		
1-GP-81, Type I	C	Red Oxide Enamel Primer Air Dry														■				
1-GP-81, Type II	C	Red Oxide Enamel Primer Bake															■			
1-GP-88	C	Enamel Gloss														s				
1-GP-88, Type II	C	Bake Enamel																		
1-GP-104	C	Green Enamel Semi-Gloss														s				
1-GP-105M	C	Enamel Primer Red Oxide														■				
1-GP-110M	C	Lacquer Thinners																		
1-GP-132	C	Zinc Chromate Primer Green		■																
1-GP-132	C	Zinc Chromate Primer Yellow			■															
1-GP-134M	C	Lacquer (NC)																		
1-GP-135	C	Enamel Flat																		
1-GP-159M	C	Lacquer (Acrylic) Gloss																		
1-GP-160M	C	Lacquer (Acrylic) Flat																		
1-GP-164	C	Solvent Mix																		
1-GP-197M	C	Acrylic Lacquer/Epoxy Thinner																		

Reducing Thinners

Approval/Specification Authority and Number		Details	Toluol/Xylol/SHF	S-95	S-77A	4600-S-72	S-70	4500-S-30D	4500-S-23/S-23X	4500-S-81	S-64	S-15D	S-14	S-17	S-1
Department for National Defence (D-12-003-001/SF-000)															
D-12-003-001/SF-000	Q	Urethane Flat (Teflon Filled)				s									
MIL-C-46168D, Type II	Q	Urethane Low IRR CARC				s									
D-12-003-001/SF-000	Q	Urethane Gloss Topcoat				s									
D-12-003-001/SF-000	Q	Urethane Flat Topcoat				s									
D-12-003-001/SF-000	Q	Urethane Semi-Gloss Topcoat				s									
MIL-P-23377-F, Type I	Q	Epoxy Primer (chromated) Yellow								s					
MIL-P-23377-F, Type II	Q	Epoxy Primer (chromated) Green								s					
D-12-003-001/SF-001 NEW	C	High Solids Polyurethane (Gloss)Topcoat													
D-12-003-001/SF-001 NEW	C	High Solids Polyurethane (Flat)Topcoat													
D-12-003-001/SF-001 NEW	C	High Solids Polyurethane (Semi Gloss)Topcoat													
MIL-T-81772, Type I	Q	Urethane Thinners				■									
MIL-T-81772, Type II	Q	Epoxy Primer Thinners								■					
D-84-010-001/SF-001	Q	Enamel Low IRR	s												
Government of Canada Specifications															
1-GP-70M	C	Thinners					■								
1-GP-76	C	Alkyd Enamel Heat Resistant	s												
1-GP-81, Type I	C	Red Oxide Enamel Primer Air Dry	s												
1-GP-81, Type II	C	Red Oxide Enamel Primer Bake	s												
1-GP-88	C	Enamel Gloss	s												
1-GP-88, Type II	C	Bake Enamel	s												
1-GP-104	C	Green Enamel Semi-Gloss	s												
1-GP-105M	C	Enamel Primer Red Oxide	s												
1-GP-110M	C	Lacquer Thinners											■		
1-GP-132	C	Zinc Chromate Primer Green												s	
1-GP-132	C	Zinc Chromate Primer Yellow												s	
1-GP-134M	C	Lacquer (NC)											s		
1-GP-135	C	Enamel Flat	s												
1-GP-159M	C	Lacquer (Acrylic) Gloss											s		
1-GP-160M	C	Lacquer (Acrylic) Flat											s		
1-GP-164	C	Solvent Mix									■				
1-GP-197M	C	Acrylic Lacquer/Epoxy Thinner			■										

LEGEND
Q – QPL Listed
C – Conforms to specification
S – System (Specified or Recommended)
■ - Cross Reference (Specification to Product Code)

Revised November 23rd, 2004